IBPS PO 2023

लक्ष्य बैच

REASONING

FREE TARGET BATCH

▶ गुरुवार 03 August (सुबह 11 बजे)

20 दिन लगातार, इस बार IBPS PO पार

BASIC CONCEPT

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: B < S ≤ Q < Y = X > C ≥ J

Conclusions:
I) S < Y
II) X > B

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: E ≥ P > A < O = Z ≤ G

Conclusions:
I. A < G
II. Z < E

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: K > J < F ≤ B < D = G > P < R

Conclusions:
I. F < G
II. F = G

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: P ≤ O = N < W ≤ G ≥ I > D = J

Conclusions:
I. W > D
II. N < I

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: P ≥ Q ≥ R = S = T ≥ U ≤ V ≤ W = X

Conclusions:
I. W > S
II. X ≤ R

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: H ≤ Q ≤ R = E; P ≥ B > H

Conclusions:
I. Q ≤ B
II. B > P

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: T = V > W = M > R; X < G ≤ M

Conclusions:
I. W > G
II. R > X

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: $T < Q$; $R = S$; $Q > P \geq R$

Conclusions:
I. $T < R$
II. $P = S$

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: Y = X; Z < U < V; X > Z

Conclusions:
I. V > X
II. Y > U

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: D ≤ R > E ≤ B; S ≤ M = E > D; G > B

Conclusions:
I. D > E
II. B < R

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: D ≤ R >E ≤ B; S ≤ M = E > D; G > B

Conclusions:
I) S < B
II) B = S

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Statements: N = K ≥ L ≥ P < O < U ≥ R; P > F

Conclusions:
I) F ≥ R
II) N > F

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: $Q > A \geq Z \leq X \leq C$; $Z = H$

Conclusions:
I) $Q > H$
II) $Z \leq C$

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: H < Y < U ≥ Q = N > R; S = T ≥ G = V > H

Conclusions:
I. U < R
II. S ≥ U

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: T ≥ M = K< B = G < P ≥ V > L; X > Z > T

Conclusions:
I. X > P
II. P ≥ T

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: P < Q ≥ G; G ≥ I ≥ E; C ≤ P; C > U

Conclusions:
I. U > I
II. P ≤ E

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: I ≥ H; K < L; K > J ≥ I

Conclusions:
I. J = H
II. J > H

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: T < R ≥ S = Q, R < F = K

Conclusions:
I. T > K
II. K > Q

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: T ≤ R = F < P = D; Q < M ≤ S > C ≥ T

Conclusions:
I. M > R
II. M ≤ R

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: W > Q > Z ≤ L; N < C ≤ Z

Conclusions:
I. W > N
II. N ≤ L

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: K ≤ I = W > O = M; S < R > Z > X ≥ K

Conclusions:
I. O < R
II. O ≤ R

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

≠ Concept

Statements / कथन :

B < O ≤ G ≤ K = F > L > P

Conclusions / निष्कर्ष :

I. O = F

II. P ≥ K

01. If only conclusion I is true.

02. If only conclusion II is true.

03. If either conclusion I or II is true.

04. If neither conclusion I nor II is true.

05. If both conclusions I and II are true.

Statements / कथन :
B/> Z ≥ T > F = Y ≥ S = W
Conclusions / निष्कर्ष :
I. T < W
II. S = T

01. If only conclusion I is true.
02. If only conclusion II is true
03. If either conclusion I or II is true
04. If neither conclusion I nor II is true
05. If both conclusions I and II are true

Statements / कथन :
M ≮ T ≮ < G ≰ J ≠ U > Y > R
Conclusions / निष्कर्ष :
I. U < M
II. R < G

01. If only conclusion I is true
02. If only conclusion II is true
03. If either conclusion I or II is true.
04. If neither conclusion I nor II is true.
05. If both conclusions I and II are true.

M ≮ T̸ < G̶ ≰ J ≠ U > Y > R

Conclusions / निष्कर्ष :

I. J̸ > R

II. R̸ ≤ U

01. If only conclusion I is true
02. If only conclusion II is true
03. If either conclusion I or II is true.
04. If neither conclusion I nor II is true.
05. If both conclusions I and II are true.

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: Z ≠ A = K ≥ B > J

Conclusions:
I. Z > J
II. Z ≠ K

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: B < S ≤ Q < Y ≠ X = C ≥ J

Conclusions:
I) S < X
II) Y ≠ C

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: K > Z < L ≠ A ≠ T = V

Conclusions:
I. L ≠ T
II. K < T

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: K > Z < L = A ≠ T = V

Conclusions:
I. A > V
II. L < T

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: O ≠ P > Q ≥ R ≥ S = T

Conclusions:
I. O = S
II. O ≠ T

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: C = H ≤ D ≠ E ≤ F ≥ G = Z

Conclusions:
I. C < F
II. H ≥ F

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Directions: In this question, relationship between different elements is shown in the statements. These Statements are followed by two conclusions.

Statements: **C = H ≤ D ≠ E ≤ F ≥ G = Z**

Conclusions:
I. C < F
II. H ≥ F

a) Only Conclusion I follows
b) Only Conclusion II follows
c) Either Conclusion I or II follows
d) Neither Conclusion I nor II follows
e) Both Conclusion I and II follow

Which of the following symbols should replace the sign respectively in order to complete the given expression in such a manner that "C > D" definitely holds false?

L < O > C ≤ K @ E * D > N

a) ≥, >
b) ≠, <
c) <, <
d) =, ≤
e) ≤, ≤

Which of the following symbols should replace the sign respectively in order to complete the given expression in such a manner that "Z > S" definitely holds True?

C ≤ Z ≥ R ≥ K # Y ≥ S

a) ≥
b) <
c) >
d) =
e) ≤

Which of the following would replace @ and & in the following expression so that 'O > N' is definitely true?

L = O > W @ M ≤ K; M > F & C ≥ N

a) <, =
b) >, ≤
c) =, ≤
d) ≥, <
e) ≥, >

In which of the following expressions will the expression 'Y < R' be definitely true?

a) Y ≥ P = U = R
b) Y < U > R > P
c) Y ≤ U = P < R
d) U > Y ≥ R < P
e) R > U = P < Y

In the following question, how to place the symbols so that both the conditions, R > G and N < F, definitely hold true when all the expressions are considered together?

R ___ E > W < X ≤ F; W ___ S > G; X ≥ U ___ N

a) >, =, ≥
b) =, <, <
c) >, ≥, <
d) =, ≥, >
e) ≤, =, >

What will come in the place of question mark (?) in the given statement if 4 > 8 and 9 ≥ 6 is definitely true?

4 ≥ 5 > 9 (?) 8 ≥ 7 = 6

a) =
b) ≥
c) >
d) ≤
e) Either = or ≥

What will come in the place of question mark (?) in the given statement if 4 > 8 is definitely true?

2 ≥ 3 = 4 ≥ 5 (?) 6 = 7 ≥ 8

a) =
b) ≥
c) >
d) ≤
e) <

Thank you